



COVID-19 Vaccine Clinics & Vaccination Information

Where You Can Get Vaccinated

**Unified Command Vaccine Center –1150 W. Carl Sandburg Dr. Galesburg
(Former Bergner’s Building) on the following dates:**

- **Thursday, September 1st 8:30 a.m. to 10:30 a.m.**
- **Tuesday, September 6th 1:30 p.m. to 3:30 p.m.**
- **Thursday, September 8th 8:30 a.m. to 10:30 a.m.**

IMPORTANT NOTICE

****New COVID-19 Vaccine Location Starting September 12th at the
Knox County Health Department, 1361 W. Fremont St. Galesburg.
Monday and Friday’s 8:30 a.m. – 3:30 p.m. by appointment only.
No Walk-ins**

Available COVID-19 Vaccines:

- Pfizer
- Moderna

COVID-19 Vaccines

Recommendations by Age Group

Age Group	Primary Series How many vaccines, and when?	1 st Booster Dose	2 nd Booster Dose
Pfizer			
Infant 6 months – 4 years	3 - vaccine series: 2 doses, 3 weeks apart, followed by a 3 rd at least 8 weeks later	Not at this time	Not at this time
Pediatric 5 – 11 years	2- vaccine series: 2 doses, 3 weeks apart	Yes, at least 5 months after second vaccine	Not at this time
Adolescents 12 - 17	2 - vaccine series: 2 doses, 3 weeks apart	Yes, at least 5 months after second vaccine	Not at this time
18 years and older	2 – vaccine series 2 doses, 3 weeks apart	Yes, at least 5 months after second vaccine	Those 50 and older who had their first booster at least 4 months ago
Moderna			
Infant 6 months – 5 years	2 – vaccine series: 2 doses, 4 weeks apart	Not at this time	Not at this time
Pediatric 6 - 11	2 – shot series 2 doses, 4 weeks apart	Not at this time	Not at this time
Adolescents 12 - 17	2 – shot series 2 doses, 4 weeks apart	Not at this time	Not at this time
18 years and older	2 - vaccine series: 2 doses, 4 weeks apart	Yes, at least 5 months after second vaccine	Those 50 and older who had their first booster at least 4 months ago

[COVID-19 Vaccines for Children and Teens](#)

[CDC Stay Up to Date with Your COVID-19 Vaccines. What You Need to Know](#)

[At-A-Glance COVID-19 Immunization Schedule](#)

COVID-19 Vaccine Booster Shots

If you received Pfizer

Everyone ages 5 and older **should get a Pfizer booster at least 5 months** after completing their initial Pfizer vaccination series. Individuals aged 5-17 years old can get a Pfizer COVID-19 vaccine booster. Adults 18 years and older can get either Pfizer or Moderna as a booster dose.

If you received Moderna

Everyone ages 18 and older **should get a booster at least 5 months** after completing their initial Moderna vaccination series. Adults 18 years and older can get either Pfizer or Moderna as a booster dose.

If you received Janssen (J&J)

Everyone ages 18 and older should receive a booster dose at least 2 months after receiving their Janssen/J&J COVID-19 vaccine. The CDC prefers either of the mRNA vaccines (**Pfizer or Moderna**) as a booster dose. **(The Knox County Health Department does not currently have J&J available)**

2nd Booster Shot – What You Should Know:

Individuals 12 years and older who are moderately or severely immunocompromised and adults 50 years and older who are not moderately or severely immunocompromised may choose to receive a second booster of Moderna or Pfizer 4 months after their first booster dose.

Accessing Vaccine Records

If you need a copy of your vaccine record you can access it through IDPH's immunization portal, Vax Verify. Vax Verify now includes SMART™ Health Card, an easy way to share your COVID-19 vaccination status. The SMART™ Health Card allows users to download a QR code which individuals can use to confirm their COVID-19 vaccination status.

You can access the [Vax Verify portal](#) directly.

You can also contact the place where you were vaccinated for your vaccine record.

Get Vaccinated and Stay Up To Date

Being Up to Date on your vaccines means a person has received all recommended COVID-19 vaccines, including any booster dose(s) when eligible.

Fully vaccinated means a person has received their primary series of COVID-19 vaccines.

You are up to date with your COVID-19 vaccines when you have followed the current recommendations listed below. The recommendations will be different depending on your age, health status, and when you first got vaccinated.